► INTERIOR

FEIN. Unverwüstliche Elektrowerkzeuge.



The world's most powerful renovation system.

FEIN SUPERCUT CONSTRUCTION



Save time and money – with the FEIN SUPERCUT CONSTRUCTION.

Powerful motor, high-quality materials, outstanding ergonomics – the FEIN SUPERCUT CONSTRUCTION is the most powerful system for interior and renovation applications. It's fast, strong, versatile and, of course, durable. It allows you to work up to 350% faster, even in tough continuous use in heavy-duty sawing applications, which is hardly surprising, as the new FEIN SUPERCUT embodies more than 40 years of experience in developing durable oscillators for industry and manual trades.



The new battery-powered FEIN SUPERCUT can be found on page 5

The right set for every professional.

FEIN's expertise has resulted in the development of an outstanding range of accessories which allow users to perform all the important special applications in most trades as well as a multitude of general construction applications. The FEIN SUPERCUT CONSTRUCTION and the industry-specific accessory sets give professional tradespeople everything they need to achieve the best results in minimum time in tasks which previously required time-consuming manual labour.

FEIN professional set for interior work with wood



Page 8-9

Page 10 - 11

The extensive range of E-CUT saw blades for wood, plastic, plasterboard and metal make the set the powerful system for fast and precise sawing work in interior and renovation applications.

FEIN professional set for repairing/replacing windows



With its special range of accessories, this is perfectly suited to fast, simple and neat renovation of putty-mounted insulation windows and replacing old windows. It also cuts working time by up to 80%.

FEIN professional set for tile restoration/bathroom renovation Page 12-13



The powerful system with diamond and carbide-coated tools for perfectly cutting out tiles, removing tile joints and trimming tile adhesive.

The ideal system for making cut-outs in

panels and for precise laying of electrical cables, water and heating pipes.

FEIN professional set for heating/sanitary installation

Page 14 - 15



FEIN professional set for grout renewal



Page 16 - 17

The special range of accessories allows you to cut out damaged elastic sealants in building construction and civil engineering and cut working time by up to 60%. Also suited to removing joints damaged by harmful materials.

IETAL + WOOD ETALL + HOLZ

STVERSAL

Satisfies the most stringent requirements in terms of performance and quality – whether used as a mains or battery-powered tool.

The FEIN SUPERCUT CONSTRUCTION is the unique oscillating power tool on the market and its performance is consistently focused on the needs of tough sawing and cutting work. FEIN has thereby developed an oscillating tool which permits work to progress at levels that can otherwise only be achieved with professional jigsaws and sabre saws with numerous applications and materials. At the same time, this tool can be used for virtually any application, a feature only found in oscillating power tools.

The benefits for you at a glance

- More than 40 years of experience and know-how in oscillation construction
- High-quality components with industrial "Made in Germany" quality
- Robust and durable overall design
- Solid metal/precision cast parts
- Battery and mains-powered tools enable practically the same work progress

Time-saving



Patented QuickIN clamping system for convenient and fast tool changes without a wrench.

Durable



Robust metal gear box housing for long service life even in tough working conditions.

Efficient



Outstanding work progress thanks to constant oscillation.

> METAL + WOOD METALL + HOL

Practical

Force-fit hexagonal tool holder for optimum torque transfer.

Maximum work efficiency – even with a battery.

Even as a battery-powered tool, the FEIN SUPERCUT remains the most powerful oscillator with durable professional quality. The work progress and performance delivered are practically the same as the mains-powered tool. The modern lithium-ion technology keeps the weight low and prevents memory effects. As 2 batteries and a powerful charger are supplied, you can work without interruption even at high loads.

Saves energy

Angled motor housing for particularly compact design and effective vibration reduction.

Intelligent

Electronic speed control with tacho generator for high speed consistency when loaded.

Enduring

18 V Li-ion battery for power that lasts.

Powerful

Powerful and highly robust FEIN high-power motor for extraordinary performance.

Ergonomic

Sits perfectly in your hand thanks to its ergonomic shape. For virtually fatigue-free working.

Technical data		
Model		AFSC 18
Battery voltage	V	18
Battery capacity	Ah	2.4
Oscillations	rpm	11 000 – 18 500
Amplitude	Degrees	3.4
Gear box head height	mm	80
Weight	kg	2.0
Tool holder		QuickIN

Emission values (sound/vibration) can be found at www.fein.com/vibration

FEIN lithium-ion technology for optimum performance and endurance.

In conjunction with the motor's high level of efficiency, FEIN lithium-ion batteries deliver the perfect combination of low weight and high performance. Their extremely long service lives are the result of individual cell monitoring, which protects the batteries from overload, overheating and total discharge, and the particularly efficient charging procedure. The low internal resistance of the high-quality cells minimises the build-up of heat in the battery. The battery can therefore be housed in a closed and dust-resistant housing, which also extends the service life.

Benefits of FEIN lithium-ion technology


- Long service life
- Quick charger
- Less self-discharge
- Individual cell monitoring protects from overload
- ► 50% lighter than NiCd batteries, yet they deliver the same performance
- No memory effect batteries can be charged at any time

Short charge time




Quick and efficient: the quick charger charges the battery in 25–30 minutes. For continuous working.

Constant power



Powerful from the first cut to the last: the new FEIN lithium-ion technology delivers constant power until the battery is completely flat.

Low heat build-up



Shortened charge time: heat build-up is reduced thanks to high-quality battery cells with low internal resistance and the battery doesn't have to be cooled at outdoor temperatures of up to 45°C.

Integrated working



Convenient querying at the touch of a button: the capacity display indicates the battery's charge status.

Endurance and power



For peak and permanent loading: the battery pack contains 10 high-quality Li-ion cells and features a double-row design. The battery cells used are designed for high discharge currents.

Consistent maximum work efficiency thanks to mains connection.

The FEIN SUPERCUT is the most powerful oscillator with durable professional quality. In the mains-powered version, the flexible, extra long 5 m rubber cable enables a wide range of applications on the construction site.

Powerful

Powerful and highly robust FEIN high-power motor for extraordinary performance

Intelligent

Electronic speed control with tacho generator for high speed consistency when loaded

Flexible

5m industrial-quality cable for large working radius

Technical data		
Model		FSC 2.0 Q
Power consumption	W	400
Power output	W	220
Oscillations	rpm	11 000-18 500
Amplitude	Degrees	4.0
Cable with plug	m	5
Gear box head height	mm	80
Weight	kg	1.45
Tool holder		QuickIN

Emission values (sound/vibration) can be found at www.fein.com/vibration

Ergonomic

Sits perfectly in your hand thanks to ergonomic shape. For fatiguefree working.

Upping the pace on the construction site – with the professional set for interior work with wood.

Whether you're dealing with simple on-site installation or fitting furniture, flooring, doors, lightweight walls or stairs, your work is made considerably easier with the FEIN professional set for interior work with wood. The FEIN SUPERCUT CONSTRUCTION offers speed and convenience wherever circular saws, jigsaws and sabre saws are needed and where manual tools previously needed a great deal of manual effort. You therefore no longer need any free space behind the workpiece. The FEIN SUPERCUT CONSTRUCTION can work at any angle and flush to all surfaces. Thanks to the HSS saw blade and the depth stop, you can also make long cuts in ready-laid parquet or laminate flooring with ease. You can even use it to easily and quickly make precise cuts by hand.

Fitting kitchens and furniture



You can make cut-outs in hard-to-reach places with ease when fitting kitchens and other furniture.

Order number 6 35 02 119 01 0

Order number

6 35 02 122 01 4

Plunging with precision



The long E-CUT standard saw blades are the alternative to mortise chisels, enabling you to work on-site with construction woods up to approx. 80 mm.


Order number 6 35 02 124 01 6

Shortening door frames



Produces perfect results in shortening door frames. Thanks to the shape, you can saw flush to the surface.

Robust and powerful



E-CUT universal saw blades offer impressive performance in cutting wood, plastic, metal and gypsum plasterboards. Thanks to their bi-metallic teeth, they are insensitive to nails and best suited to robust construction site applications.

Order number 6 35 02 148 01 3

Infinite sawing options



The FEIN SUPERCUT CONSTRUCTION does not require any free space behind the workpiece. Subsequent cut-outs, for example in fitted skirting boards, can be made at speed and with precision.

Order number 6 35 02 135 01 9

Trimming and fitting freely by hand



The E-CUT precision saw blades ensure a neat cross-section – ideal for trimming and fitting.

Order number 6 35 02 121 01 1



Reworking expansion joints




The HSS saw blade for wood is excellently suited to accurate sawing e.g. parquet or laminate flooring. Fired stoves can therefore be subsequently fitted with ease, and working with wall and ceiling coverings is child's play.

Order number 6 35 02 153 01 0

FEIN professional set for interior work with wood



Sanding parquet



The FEIN SUPERCUT CONSTRUCTION can also be used as a highquality delta sander, e.g. as an addition to the parquet sanding machine, particularly when space is tight.

Order number 6 38 06 129 02 6

1 FEIN SUPERCUT FSC 2.0 Q professional set for interior work with wood in plastic tool case with extensive range of accessories (see page 18).

Order number

7 236 32 52

1 battery-powered FEIN SUPERCUT AFSC 18 professional set for interior work with wood in plastic tool case with extensive range of accessories (see page 18). Including 2 batteries and 1 charger.

Order number

7 136 01 52

Neater and faster renovation of windows – with the professional set for repairing/replacing windows.

Do you need to make repairs in the workshop or dismantle or fit new windows on the construction site? The FEIN SUPERCUT CONSTRUCTION with the FEIN professional set for repairing/replacing windows is perfect for both areas, as it cuts working time on putty-mounted insulation windows by up to 80%. Old windows can be neatly dismantled on the construction site without damaging walls, tiles, window sills or roller shutter cases, making the work quicker, easier and neater.

REPAIR

Cutting out putty-mounted insulation glass windows



Putty-mounted insulation windows can be removed on-site in one piece without the windows having to be broken up using the segment-shaped cutter blade. This means there's practically no risk of injury, no time-consuming tidying up and you cut working time by up to 80%.

Order number 6 39 03 166 01 6

Removing paints



Old paints can be removed at speed with the triangular polygon sanding pad. A round backing pad is available for large surfaces.

Order number for sanding pad 6 38 06 129 02 6 Order number for backing pad 6 38 06 195 02 0

Removing putty from glass



Cutting insulation glass



The mushroom-shaped cutter blade cuts insulation windows at speed and with ease. Undamaged single panes can be used for repairs elsewhere. Separating materials for disposal is extremely easy.

The FEIN SUPERCUT is the alternative to compressed air chisels and putty cutters, e.g. for removing putty from single and multi-layered glazing – with virtually no risk of glass breakage and no laborious preparatory work. Order number 6 35 02 137 01 6

Order number 6 39 03 128 01 2

Restoring old windows



Weathered windows are often restored individually when renovating listed properties. With the E-CUT universal saw blade, you can precisely cut out damaged wing parts and replace them with new wooden parts.

Order number 6 35 02 148 01 3



DISMANTLING OLD WINDOWS

Fitting roller shutter case covers



The HSS saw blade for wood can also make longer, straight cuts. Roller shutter case covers and similar parts can thereby be precisely produced or adjusted on-site at any time.

Order number 6 35 02 153 01 0

Replacing old windows



Removing window frames



The HSS saw blade makes it possible to replace old windows even in problematic cases. Wall damage can be avoided and the saw blade lies flush to the frame. It can also cut through metal fastenings with ease.

Order number 6 35 02 137 01 6



E-CUT universal saw blades for all cut-outs and fitting work. Bi-metal teeth make them well-suited to wood, plastics, plasterboard, plaster, aluminium profiles, and even sheet metal.

Order number 6 35 02 147 01 5

FEIN professional set for repairing/replacing windows



frames rapidly and with minimum effort. The design principle virtually eliminates the possibility of damage to roller shutter cases or window sills.

The FEIN E-CUT saw blades

allow you to remove window

Order number 6 35 02 124 01 6

1 FEIN SUPERCUT FSC 2.0 Q professional set for repairing/replacing windows in plastic tool case with extensive range of accessories (see page 19).

Order number

7 236 32 51

1 battery-powered FEIN SUPERCUT AFSC 18 professional set for repairing/replacing windows in plastic tool case with extensive range of accessories (see page 19). Including 2 batteries and 1 charger.

Order number

7 136 01 51

Replacing tiles with high-precision joints – with the professional set for tile restoration/bathroom renovation.

When undertaking repair work in sanitary installations, tiles must be replaced as quickly and as exactly as possible. The professionals set for tile restoration/bathroom renovation gives tiling professionals everything they need for the job. It can be used to cut out individual tile joints and replace tiles without damaging neighbouring ones. Grouting cement materials can be cut out with precision, producing the minimum amount of dust and without overcutting, even in corners and radii. It's ideal for sawing flush to old heating pipes, trimming, cutting out, cutting and fitting drywall profiles, corner strips or floor panels.

Removing tile joints



The 2.2 mm wide diamondcoated segment blade cuts marble, epoxy resin and concrete trass joints. Tiles can subsequently be broken and removed.

Order number 6 39 03 162 01 7

Working with narrow tile joints



In addition to the 2.2 mm wide diamond-coated segment blade, the set also includes an extra thin carbide segment blade, only 1.2 mm wide, for working with particularly narrow tile joints.

Order number 6 39 03 224 01 0


Removing residue



The carbide rasp can remove plaster and screed residue or sand down tile adhesive before re-tiling at speed and with ease.

Order number 6 37 31 001 01 4

Scraping off floor coverings



New flooring needs a clean surface. The stopper knife allows you to remove even stubborn residue left behind by old floor coverings.

Order number 6 39 03 206 01 8



Copper heating pipes which are no longer needed can be sawn off flush to the wall or floor using the stepped E-CUT universal saw blades – even in hard-to-reach places.

Order number 6 35 02 148 01 3

Removing silicone and acrylic grout



The mushroom-shaped cutter blade can remove damaged, elastic silicone or acrylic joint fillers at speed and without leaving residue. New joint materials can be applied without the need for rework.

Order number 6 39 03 128 01 2

Renovating large surfaces: Renewing tile joints instead of completely re-tiling.

The FEIN SUPERCUT CONSTRUCTION is in its element when restoring damaged or shabby tiles on large surfaces, e.g. in hotels or housing areas. It's the ideal tool for cost-effective renovation. The job can be done in a decent amount of time – and in comparison to complete renovation, you save around 80% in cost! As an option, the tool is available with dust extraction devices which can be fitted tool-free.

Cutting out joint materials containing epoxy resins



Excellently suited to cutting out particularly hard tile joints such as extremely waterproof epoxy resin joints in swimming pools.

Extracting dust



The extraction device and diamond or carbide-coated tool can remove tile joints economically and precisely while producing very little dust.





1 FEIN SUPERCUT FSC 2.0 Q professional set for tile restoration/bathroom renovation in plastic tool case with extensive range of accessories (see page 19).

Order number

7 236 36 53

1 battery-powered FEIN SUPERCUT AFSC 18 professional set for tile restoration/bathroom renovation in plastic tool case with extensive range of accessories (see page 19). Including 2 batteries and 1 charger.

Order number

Long-life saw blades



For continuous use, the diamond or carbide-coated saw blades are also available as a round version. These 360° coated tools can rotate 3–4 times and thereby have a longer service life than segmented blades.

Order number 6 35 02 115 01 1

Order number 9 26 02 084 01 0

Sanding down tile adhesive



Even thick layers of tile adhesive can be easily ground away when replacing individual tiles. Dust extraction, suitable for the FSC 2.0 Q corded machine, avoids dirt and dust.

Order number 9 26 02 074 01 4

Installing underfloor heating – with the professional set for heating/sanitary installation.


The prefabricated systems available on the market require long drying times and relatively large installation heights. Neither of these are possible in occupied properties. As a consequence, subsequent installations required a lot of time and money until now. The FEIN professional set for heating/sanitary installation provides you with a cost-effective way to fit individual sanitary installations – without time-consuming prising open or plaster work. You can thereby make individual cut-outs directly in the ready-laid panels with ease. It's highly precise and produces minimal dust – no matter whether you're dealing with angular or round cut-outs. You benefit from fewer costs for heating and sanitary installations. Heating and hot water pipes and power lines are laid quicker and the most important tools for removing damaged tile joints are included in the set.

Making cut-outs



With the FEIN cutting tool, the channel for hot water underfloor heating is cut directly in the panel.

Laying pipes individually



A 1/2 or 3/4 inch plastic water pipe is laid in the individually made cut-out (Ø approx. 25 mm).

Installation work




Removing tile joints

All 3 cutting tools are included in the professional set for heating/ sanitary installation: 12 mm for electrical cables, 13mm for electric, wall or property heating, and 22mm for underfloor heating or water pipes. Order number 6 39 03 221 01 0 (12 mm) 6 39 03 222 01 0 (13 mm) 6 39 03 223 01 0 (22 mm)

Cutting panels



Sawing flush to pipes



The straight cutter blade can cut panels at speed and with ease. You can make all the important radii as well as straight cuts.

Order number 6 39 03 116 01 1

Old copper and plastic pipes which are no longer needed can be removed by sawing flush to the wall with the FEIN SUPERCUT and the E-CUT universal saw blades.

Order number 6 35 02 148 01 3

Tile joints can be cut out without damaging neighbouring tiles using the diamond segment saw blade. This keeps the amount of dust produced extremely low – ideal for all repair work or removing old

> Order number 6 39 03 162 01 7

installations.



Removing tile adhesive



The carbide rasp can remove tile adhesive, plaster and screed, enabling the replacement tile to be quickly fitted.

Order number 6 37 31 001 01 4

FEIN professional set for heating/sanitary installation



Removing floor coverings



The stopper knife can remove carpet, linoleum or PVC floor coverings, tile adhesive and plaster.

Order number 6 39 03 206 01 8

1 FEIN SUPERCUT FSC 2.0 Q professional set for heating/sanitary installation in plastic tool case with extensive range of accessories (see page 20).

Order number

7 236 36 56

1 battery-powered FEIN SUPERCUT AFSC 18 professional set for heating/sanitary installation in plastic tool case with extensive range of accessories (see page 20). Including 2 batteries and 1 charger.

Order number


7 136 01 56

Renew grout in record time – with the professional set for grout renewal.

Grout sealants age and need to be replaced at some point so as to not damage the building fabric. It's a cumbersome and exhausting manual task. The professional set for grout renewal doesn't only make this task easier and a great deal faster than doing it by hand, but it also requires considerably less energy. In the case of older properties, grout sealants containing PCB were also used as well as the largely safe acrylic or silicone-based grouts. The professional set for grout renewal includes a dust extraction device which is suited to the job and, when used in conjunction with an approved dust extractor and the specified protective measures, guarantees the best possible health protection. The professional set can quickly and safely remove all elastic sealants in both exterior and interior spaces. And you still only need one tool to remove old material and roughen joints before filling them in again.

SAFE JOINT MATERIALS

Cutting out sealants



The straight cutter blade can be universally used to cut out all elastic grout sealants. Ideal for large properties: the energysaving and vibration-absorbing handle contained in the professional set.

Order number 6 39 03 117 01 5

Cleaning and re-sharpening



The cleaning block is used to re-sharpen and clean diamond tools, enabling you to remove sealant residue and other impurities at speed and with ease.

Order number 6 37 19 007 01 0


Working with deep joints



Until now, manually working with deep joints has been a particularly difficult task. This will no longer be a problem with the long cutter blade.

Order number 6 39 03 116 01 1

Cleaning flanks



The diamond cleaning blade cleans and roughens mortar flanks before you fill them in again, guaranteeing optimum adhesion of the new sealant material.

Order number 6 39 03 161 01 4



Working with minimal dust



The FEIN SUPERCUT allows you to remove the sealant material, producing minimal dust, with a fitted extraction device.

Order number 9 26 02 084 01 0

FEIN professional set for grout renewal



Roughening mortar flanks



With the diamond cleaning blade, the extraction device can be used to roughen mortar flanks as well as remove the sealant material.

Order number 9 26 02 084 01 0

FEIN SUPERCUT FSC 2.0 Q professional set for grout renewal in metal tool case with extensive range of accessories (see page 20).

Order number

7 236 36 54

The right solution for every professional application.

FEIN SUPERCUT CONSTRUCTION



Technical data		
Model		FSC 2.0 Q
Power consumption	W	400
Power output	W	220
Oscillations	1 rpm	11 000 – 18 500
Amplitude	Degrees	4.0
Cable with plug	m	5
Weight	kg	1.45
Tool holder		QuickIN

Scope of supply

► 1 FEIN SUPERCUT CONSTRUCTION FSC 2.0 Q in plastic tool case Order number 7 236 36 50

FEIN professional set for interior work with wood



- ► 1 FEIN SUPERCUT CONSTRUCTION FSC 2.0 Q in plastic tool case
- ► 1 HSS saw blade for wood (form 153)
- ▶ 4 E-C∪⊤ standard saw blades (form 123, 124, 135, 136)
- ► 4 E-CUT precision saw blades (form 119, 120, 121, 122)
- ▶ 2 E-C∪T universal saw blades (form 147, 148)
- ► 1 depth stop
- 1 sanding pad
- Sanding sheets, 5 each of grit 80, 120 and 180
- 1 adapter and 2 tensioning elements

Battery-powered FEIN SUPERCUT CONSTRUCTION



Technical data		
Model		AFSC 18
Battery voltage	V	18
Battery capacity	Ah	2.4
Oscillations	1 rpm	11 000 – 18 500
Amplitude	Degrees	3,4
Gear head height	mm	80
Weight	kg	2.0
Tool holder		QuickIN

Scope of supply

► 1 battery-powered FEIN SUPERCUT AFSC 18 in plastic tool case

► 2 Li-ion batteries and charger Order number

7 136 01 00



- 1 battery-powered FEIN SUPERCUT AFSC 18 in plastic tool case
- ▶ 1 HSS saw blade for wood (form 153)
- ► 4 E-CUT standard saw blades (form 123, 124, 135, 136)
- ► 4 E-CUT precision saw blades (form 119, 120, 121, 122)
- ▶ 2 E-CUT universal saw blades (form 147, 148)
- ► 1 depth stop
- ► 1 sanding pad
- ▶ Sanding sheets, 5 each of grit 80, 120 and 180
- ▶ 1 adapter and 2 tensioning elements
- ► 2 batteries
- ► 1 charger

7 236 36 52

Order number

FEIN professional set for repairing/replacing windows



- ► 1 FEIN SUPERCUT CONSTRUCTION FSC 2.0 Q in plastic tool case
- ▶ 1 HSS saw blade for wood, stepped (form 137)
- ▶ 1 HSS saw blade for wood (form 153)
- ▶ 1 E-CUT standard saw blade (form 124)
- ▶ 2 E-C∪T universal saw blades (form 147, 148)
- ▶ 1 segment saw blade (form 166)
- ► 1 mushroom-shaped cutter blade (form 128)
- ► 1 depth stop
- ► 1 sanding pad
- Sanding sheets, 5 each of grit 80, 120 and 180
- ▶ 1 adapter and 2 tensioning elements



- ► 1 battery-powered FEIN SUPERCUT AFSC 18 in plastic tool case
- ▶ 1 HSS saw blade for wood, stepped (form 137)
- ▶ 1 HSS saw blade for wood (form 153)
- ▶ 1 E-CUT standard saw blade (form 124)
- ▶ 2 E-CUT universal saw blades (form 147, 148)
- ▶ 1 segment saw blade (form 166)
- ▶ 1 mushroom-shaped cutter blade (form 128)
- ► 1 depth stop
- 1 sanding pad

Order number

- Sanding sheets, 5 each of grit 80, 120 and 180
- 1 adapter and 2 tensioning elements
- 2 batteries1 charger

7 236 36 51

Order number

FEIN professional set for tile restoration/bathroom renovation



- ► 1 FEIN SUPERCUT CONSTRUCTION FSC 2.0 Q in plastic tool case
- 1 diamond-coated segment blade (form 162)
- ▶ 1 carbide-coated segment blade (thin) (form 224)
- ▶ 2 E-CUT universal saw blades (form 147, 148)
- ▶ 1 mushroom-shaped blade (form 128)
- ► 1 stopper knife
- ▶ 2 rasps, carbide-coated
- 1 adapter and 2 tensioning elements



▶ 1 battery-powered FEIN SUPERCUT AFSC 18 in plastic tool case

- 1 diamond-coated segment blade (form 162)
- ▶ 1 carbide-coated segment blade (thin) (form 224)
- ► 2 E-CUT universal saw blades (form 147, 148)
- ▶ 1 mushroom-shaped blade (form 128)
- ► 1 stopper knife
- ▶ 2 rasps, carbide-coated
- 1 adapter and 1 tensioning element
- 2 batteries
- 1 charger

7 136 01 51

FEIN Professional-Set Heating/ Plumbing Installation



- ► 1 FEIN SUPERCUT FSC 2.0 Q in a plastic carrying case
- I diamond segment blade (type 162)
- ▶ 3 groove-cutting blades (12 mm, 13 mm, 22 mm)
- ► 1 cutting blade straight (type 116)
- ► 2 E-Cut Universal saw blades (types 147, 148)
- ▶ 1 rigid scraper blade
- ▶ 1 tungsten carbide rasp
- 1 adapter and 2 mounting bolts



- ► 1 battery-powered FEIN SUPERCUT AFSC 18
- in a plastic carrying case
- ► 1 diamond segment blade (type 162)
- ► 3 groove-cutting blades (9mm, 13mm, 22mm)
- 1 cutting blade straight (type 116)
- ► 2 E-Cut Universal saw blades (types 147, 148)
- 1 rigid scraper blade
- 1 tungsten carbide rasp
- 1 adapter and 2 mounting bolts
- 2 rechargeable batteries
- ► 1 charger

Order number

7 236 36 56

Order number

7 136 01 56

FEIN Professional-Set Sealant Replacement



- ► 1 FEIN SUPERCUT CONSTRUCTION FSC 2.0 Q in a metal tool case
- ▶ 1 vibration-dampening bow handle
- 1 extraction attachment
- ► 5 cutting blades straight (type 117)
- ► 1 elongated pointed blade (type 116)
- ► 2 diamond cleaning blades, straight (type 161)
- 1 mounting bolt
- 1 cleaning pad

Original FEIN accessories guarantee you increased quality.

Accessory set for interior work with wood

- I HSS saw blade for wood (form 153)
- ► 4 E-CUT standard saw blades (form 123, 124, 135, 136)
- ▶ 4 E-CUT precision saw blades (form 119, 120, 121, 122)
- ▶ 2 E-CUT universal saw blades (form 147, 148)
- ► 1 depth stop
- ▶ 1 sanding pad
- ▶ Sanding sheets, 5 each of grit 80, 120 and 180
- ▶ 1 adapter and 2 tensioning elements

Order number 6 39 03 167 56 0

Accessory set for repairing/replacing windows

- ▶ 1 HSS saw blade for wood, stepped (form 137)
- I HSS saw blade for wood (form 153)
- ▶ 1 E-CUT standard saw blade (form 124)
- ▶ 2 E-CUT universal saw blades (form 147, 148)
- 1 segment saw blade (form 166)
- 1 mushroom-shaped CUTter blade (form 128)
- ► 1 depth stop
- ▶ 1 sanding pad
- ▶ Sanding sheets, 5 each of grit 80, 120 and 180
- ▶ 1 adapter and 2 tensioning elements

Order number 6 39 03 167 57 0

Accessory set for tile restoration/bathroom renovation

- ▶ 1 segment blade, diamond-coated (form 162)
- ▶ 1 carbide-coated segment blade (thin) (form 224)
- 1 mushroom-shaped blade (form 128)
- ► 1 stopper knife
- ▶ 2 carbide-coated rasps
- ► 2 E-CUT universal saw blades (form 147, 148)
- 1 adapter and 2 tensioning elements

Order number 6 39 03 167 58 0

Accessory set for heating/sanitary installation

- ▶ 1 segment blade, diamond-coated (form 162)
- ▶ 3 CUT-out blades (12mm, 13mm, 22mm)
- ▶ 1 CUTter blade, straight (form 116)
- ▶ 2 E-CUT universal saw blades (form 147, 148)
- ► 1 stopper knife
- ▶ 1 rasp, carbide-coated
- 1 adapter and 2 tensioning elements

Order number 6 39 03 167 59 0

FEIN DUSTEX 25 + 40

Powerful wet and dry dust extractor for use in the workshop and assembly work. The DUSTEX 25 + 40 dust extractors feature an automatic switch-on function for using power tools. Optimum operation on the construction site with soft start function and electronic suction control.

9 20 22

- ▶ 1 FEIN DUSTEX 25
- 1 5 m suction hose
- 1 adapter for FEIN power tools
- 1 universal power tool adapter (for other manufacturers)
- 2 extension tubes, plastic
- 1 each of crevice nozzle, upholstery nozzle, floor nozzle
- ► 1 filter bag

Order Number

- 1 FEIN DUSTEX 40
- 1 5 m suction hose
- 1 adapter for FEIN power tools
- 1 universal power tool adapter (for other manufacturers)
- 2 extension tubes, metal
- 1 each of crevice nozzle, upholstery nozzle, liquid nozzle, high-quality floor nozzle for carpets or hard floors

1 filter bag

Order Number 9 20 23

Technical data

Model		DUSTEX 25	DUSTEX 40
Power consumption	W	1 300	1 500
Air flow rate	l/min	3 300	3600
Max. vacuum	m/bar	230	270
Container volume	I	24	35
Max.connected rating	W	2000	2000
Weight	kg	7	9
Cable with plug	m	6	6
Suction hose	m	5	5

Filter bag for DUSTEX 25

Standard version, 5	items
Order number	3 13 22 781 01 7
Extra fine version,	5 items
Order number	3 13 22 757 01 6

Filter cartridge

3 13 22 765 00 9 Order number





Order number	3 13 22 810 01 0
Extra fine version, 5	items
Order number	3 13 22 811 01 0

Filter cartridge













Accessories for interior work with wood / repairing/ replacing windows

E-CUT standard saw blades Set teeth for all work with wood, plasterboard and plastic. 78 mm long



mm	Qty	Order number
32	1	6 35 02 123 01 8
32	5	6 35 02 123 04 6
32	25	6 35 02 123 03 0

Länge 78 mm



Width

mm	Qty	Order number
42	1	6 35 02 124 01 6
42	5	6 35 02 124 04 4
42	25	6 35 02 124 03 8

50 mm long



Width	I	
mm	Qty	Order number
35	1	6 35 02 135 01 9
35	5	6 35 02 135 03 1
35	25	6 35 02 135 02 5

50 mm long



Width

mm	Qty	Order number
65	1	6 35 02 136 01 2
65	5	6 35 02 136 03 4
65	25	6 35 02 136 02 8

E-CUT precision saw blades

Double-row original Japan teeth, for high-precision cuts and clean cutting edges, exact work even by hand. 50 mm long



Width

22

* * iuu		
mm	Qty	Order number
35	1	6 35 02 119 01 0
35	5	6 35 02 119 04 8
35	25	6 35 02 119 03 2

50 mm long



Width

mm	Qty	Order number
45	1	6 35 02 120 01 2
45	5	6 35 02 120 04 0
45	25	6 35 02 120 03 4

50 mm long



Width Qty Order number mm 55 1 6 35 02 121 01 1 55 5 6 35 02 121 04 9 55 25 6 35 02 121 03 3

50 mm long



Width			
mm	Qty	Order number	
65	1	6 35 02 122 01 4	
65	5	6 35 02 122 04 2	
65	25	6 35 02 122 03 6	

E-CUT Universal saw blades

With bi-metallic teeth, stepped, high cutting speed, sheet metal (400 N/mm²) up to approx. 2 mm, aluminium profile, copper pipes, wood, plasterboard and almost all plastics.



Width

mm	Qty	Order number		
28	1	6 35 02 147 01 5		
28	5	6 35 02 147 02 1		
28	25	6 35 02 147 03 7		

60 mm long



Width mm Qty Order number 6 35 02 148 01 3 44 1 6 35 02 148 02 9 44 5 6 35 02 148 03 5 44 25

Depth stop

Suited to all E-CUT saw blades and non-stepped saw blades.





M-CUT saw blade, wide

For making cuts, cut-outs and recesses in sheet metal, plastic, GRP and CFRP, pack of 2.

mm	Order number
50	6 35 02 138 01 4

M-CUT saw blade, narrow

For making cuts, cut-outs and recesses in sheet metal, plastic, GRP and CFRP, pack of 2.

Width Länge

mm mm		Order number
10	50	6 35 02 158 01 0

Saw blades

HSS, with fine teeth for precise cutting. Universal use on sheet metals of up to approx. 1 mm, also doubled, and plastics



Ø		
mm	Qty	Order number
63	2	6 35 02 102 01 6
63	5	6 35 02 102 07 0
80	2	6 35 02 103 01 0
80	5	6 35 02 103 05 0

HSS, stepped, countersunk clamping screw for flush working.



Ø

mm	Qty	Order number		
85	1	6 35 02 145 01 8		
85	5	6 35 02 145 02 0		
100	1	6 35 02 137 01 6		
100	5	6 35 02 137 02 0		

HSS saw blade for wood

Ideal for long, straight cuts and for cutting out laid parquet or laminate flooring.



With depth stop

ø

0		
mm	Order number	
100	3 26 07 062 04 0	



With depth	stop
------------	------

Ø	
mm	Order number
100	6 35 02 153 01 0

Circular knife

HSS, stepped, for universal cutting work in leather, plastic sheets, roofing fabric, fly-screens etc., pack of 1.



mm

100

Order number		
6 39 03 220 01 0		

Cutting paste

Lubricant for machining sheet metals.



3 21 32 020 12 9 Order number

Cutter blade

Mushroom-shaped, for cutting silicone and soft putty material and for separating insulation glass units. Pack of 5



Order number

6 39 03 128 01 2





Segment saw blade

Stepped, for cutting out putty-mounted isolation glass. Pack of 2.



Order number 6 39 03 166 01 6

Adapter

Needed to hold accessories with a round holder (e.g. rasps, sanding pads and polishing pads). Order number 6 37 33 005 01 0

Sanding pad set, non-perforated

For sanding without extraction.



Order number 6 38 06 129 02 6

Sanding sheets for sanding pad

Unperforated, with hook and loop fastening. For universal use on practically all surfaces.

Grit

	Qty	Order number
36	5	6 37 17 086 04 8
40	5	6 37 17 081 04 6
60	5	6 37 17 082 04 9
80	5	6 37 17 083 04 3
100	5	6 37 17 084 04 1
120	5	6 37 17 085 04 5
150	5	6 37 17 087 04 2
180	5	6 37 17 088 04 0
220	5	6 37 17 089 04 4
240	5	6 37 17 090 04 6
36	50	6 37 17 086 01 0
40	50	6 37 17 081 01 8
60	50	6 37 17 082 01 1
80	50	6 37 17 083 01 5
100	50	6 37 17 084 01 3
120	50	6 37 17 085 01 7
150	50	6 37 17 087 01 4
180	50	6 37 17 088 01 2
220	50	6 37 17 089 01 6
240	50	6 37 17 090 01 8

Sanding sheet set for sanding pad For universal use on practically all surfaces. Effective material removal guaranteed thanks to corundum sanding grits and full bonding with artificial resins. Sanding sheets, nonperforated, with hook and loop fastening, 10 each of grit 60, 80, 120, 180, 240. Order number 6 37 17 082 03 3

Sanding set, stone

Cuit

Can be universally used for working with stone and stone products. Consisting of: Sanding sheets, non-perforated, 5 each of grit 40, 80, 120, 220, 320, 400, 600 and 800, sanding pad, 1 of each, unperforated, with aluminium and plastic backing plate, 1 felt polishing pad

Sanding sheets, stone, for sanding pad

Specially for working with natural and artificial stone. In 8 stages for coarse and fine sanding.

80	50	6 37 17 121 01 3
120	50	6 37 17 122 01 6
220	50	6 37 17 123 01 0
320	50	6 37 17 124 01 8
400	50	6 37 17 125 01 2
600	50	6 37 17 175 01 7
800	50	6 37 17 176 01 0

Extraction set (only for the FSC 2.0 Q corded machine)

For all sanding and rasping work with triangular sanding pads and carbide rasps, including 2 sanding pads, perforated; sanding sheets, perforated, 5 each of grit 60, 80 and 120; 1 extraction hood with suction pipe; 2 hose sockets for hose connection with a Ø of 27 and 32 mm and 2 adapters for connecting to the most common household vacuum



9 26 02 074 01 4

Backing pad set

Order number

Ø 115 mm, perforated for dust extraction, fully bonded with artificial resins for effective material removal, hook and loop fastening. Consisting of: 1 backing pad, 6 sanding sheets (2 sheets each of grit 60/80/180).



Sanding sheet set for backing pad 16 sanding sheets (4 sheets each of grit 60/80/120/180).

Qty	Order number
16	6 37 17 227 01 0

Sanding sheets for backing pad

Grit	Qty	Order number
40	16	6 37 17 230 02 0
60	16	6 37 17 227 02 0
80	16	6 37 17 228 02 0
120	16	6 37 17 229 01 0
180	16	6 37 17 231 02 0
240	16	6 37 17 232 01 0

Sanding pad set, perforated For sanding with dust extraction. Pack of 2. No. in pack



Sanding sheets, perforated, for sanding pad

For sanding with dust extraction. For universal use on practically all surfaces. Effective material removal guaranteed thanks to corundum sanding grits and full bonding with artificial resins. From grit 36 to 240. Grit

Gine		
	Qty	Order number
36	5	6 37 17 107 04 9
40	5	6 37 17 108 04 7
60	5	6 37 17 109 04 1
80	5	6 37 17 110 04 3
100	5	6 37 17 111 04 2
120	5	6 37 17 112 04 5
150	5	6 37 17 113 04 9
180	5	6 37 17 114 04 7
220	5	6 37 17 115 04 1
240	5	6 37 17 116 04 4
36	50	6 37 17 107 01 1
40	50	6 37 17 108 01 9

50	50	0 57 17 107 01 1
40	50	6 37 17 108 01 9
60	50	6 37 17 109 01 3
80	50	6 37 17 110 01 5
100	50	6 37 17 111 01 4
120	50	6 37 17 112 01 7
150	50	6 37 17 113 01 1
180	50	6 37 17 114 01 9
220	50	6 37 17 115 01 3
240	50	6 37 17 116 01 6

Accessories for tile restoration/ bathroom renovation, heating/ sanitary installation

Segment blade

Diamond, also for corners and radii and for working without overcutting. Cutting line approx. 2.2 mm, standard version for all marble, epoxy resin and concrete trass joints.



Qty	Order number
1	6 39 03 162 01 7
5	6 39 03 162 03 0

Cutting line approx. 1.2 mm, for extremely thin marble joints. Cutting depth max. 10 mm. Not suited to epoxy resin and concrete trass joints.

	ud.
_1	1
9	65

Qty	Order number
1	6 39 03 196 01 3
5	6 39 03 196 02 0

Saw blades

Diamond, stepped, Ø 80 mm. Cutting line approx. 2.2 mm, standard version for all marble, epoxy resin and concrete trass joints.



Qty	Order number
1	6 35 02 115 01 1
5	6 35 02 115 03 0

Cutting line approx. 1.2 mm, for extremely thin marble joints. Not suited to epoxy resin and concrete trass joints.



Qty	Order number
1	6 35 02 116 01 4
5	6 35 02 116 02 0

Segment blade, carbide-coated

Compared to the diamond-coated version, the costs are lower and the service life shorter. Also suited to corners and radii and to working without overcutting. Cutting line approx. 2.2 mm for all marble and epoxy resin tile joints.



Qty	Order number
1	6 39 03 225 01 0
5	6 39 03 225 02 0
25	6 39 03 225 03 0

Segment blade, carbide-coated

Extra thin version. Cutting line approx. 1.2 mm, cutting depth max. 10 mm. Not suited to very hard epoxy resin or cement joints.



Qty	Order number
1	6 39 03 224 01 0
5	6 39 03 224 02 0
25	6 39 03 224 03 0

Saw blades, carbide-coated

Compared to the diamond-coated version, the costs are lower and the service life shorter. Stepped, Ø 80 mm, cutting line approx. 2.2 mm, standard for all marble, epoxy resin and concrete trass joints.



Qty	Order number
1	6 35 02 156 01 0
5	6 35 02 156 02 0
25	6 35 02 156 03 0

Saw blades, carbide-coated

Extra thin version, cutting line approx. 1.2 mm, not suited to very hard epoxy resin or cement joints.



Qty	Order number
1	6 35 02 155 01 0
5	6 35 02 155 02 0
25	6 35 02 155 03 0

Adapter

Needed to hold accessories with a round holder (e.g. rasps, sanding pads and polishing pads).

Order number 6 37 33 005 01 0

Carbide rasp, triangular, carbide-coated

For coarse sanding of fillers, tile adhesives, concrete, stone and wood. Suited to use with or without dust extraction.



Carbide rasp, finger-shaped For coarse sanding of fillers, tile adhesives, concrete, stone and wood. The fingershaped version, which is coated on both sides, is particularly well suited to artistic work.



Order number 6 37 31 002 01 7

6 37 31 001 01 4

Stopper knife

For removing coverings and coatings, e.g. underseal, adhesive residues etc., pack of 2.



Order number 6 39 03 206 01 8



Straight. Universal blade for virtually all expansion joints. Pack of 5.



Straight, long, for very deep joints. Pack of 5.



6 39 03 116 01 1

6 39 03 117 01 5

Segment blade Segment shape, for V cuts and cuts in

corners, pack of 2.



Order number

Cutting length	Total length	
mm	mm	Order number
30	73	6 39 03 132 01 0

Cutter blade

Mushroom-shaped, for cutting silicone and soft putty material and for separating insulation glass units. Pack of 5.



Order number 6 39 03 128 01 2

Cutting tool

For making grooves of 13x6.5 mm in rigid foam panels for electrical, wall and underfloor heating. Pack of 2



	mm	width m mm	depth mm Order numbe	r
50 13 6,5 6 39 03 223 01 0	50	0 13	6,5 6 39 03 223 01 0)

For making grooves in rigid foam panels for electric cables up to 12 mm in diameter. Pack of 2.



Width	Plunge diameter	
mm	mm	Order number
50	12	6 39 03 222 01 0

For making grooves in rigid foam panels for $\frac{1}{2}$ and $\frac{3}{4}$ hot water pipes and for empty pipes for electrical installation. Pack of 2.



Width	Plunge diameter	
mm	mm	Order number
50	22	6 39 03 221 01 0

Extraction set (only for the FSC 2.0 Q corded machine)

For all sanding and rasping work with triangular sanding pads and carbide rasps, including 2 sanding pads, perforated; sanding sheets, perforated, 5 each of grit 60, 80 and 120; 1 extraction hood with suction pipe; 2 hose sockets for hose connection with a Ø of 27 and 32 mm and 2 adapters for connecting to the most common household vacuum cleaners.



Extraction device

For working with diamond tools, can be fitted tool-free. Dust extraction connection \emptyset 32 mm.



Order number

9 26 02 084 01 0

Bail handle

For reducing vibrations and for better handling of the FEIN SUPERCUT during longer jobs. Can also be used in conjunction with the extraction device 9 26 02 084 01 0.



Order number

3 21 19 116 01 1

Cleaning block

Rhombus for cleaning carbide and diamond tools.





6 37 19 007 01 0

Work gloves

Vibration-absorbing, certified in accordance with EN 388/420, EN ISO 10819, EEC No. 0200, no. in pack, 1 pair.



Size	Order number
9 L	3 21 73 003 00 3
10 XL	3 21 73 004 00 1
11 XXL	3 21 73 005 00 5

Accessories for grout renewal

Extraction device

For working with cutter blades (form 117) or for diamond cleaning blades (form 161).



Order number

9 26 02 084 01 0

Cleaning block

Rhombus for cleaning carbide and diamond tools.



Order number



Cutter blade

Straight. Universal blade for virtually all expansion joints. Pack of 5.



6 39 03 117 01 5 Order number

Straight, long, for very deep joints. Pack of 5.



Order number 6 39 03 116 01 1

Segment blade

Segment-shaped, for V cuts and cuts in corners, pack of 2.



Cutting Total length length Order number mm mm 30 73 6 39 03 132 01 0

Cleaning blade

Straight, diamond-coated, for cleaning mortar flanks before filling them in again.



Qty	Order number
1	6 39 03 161 01 4
5	6 39 03 161 03 0

Work gloves

Vibration-absorbing, certified in accordance with EN 388/420, EN ISO 10819, EEC No. 0200, no. in pack, 1 pair.



Order number
3 21 73 003 00 3
3 21 73 004 00 1
3 21 73 005 00 5

Bail handle

For reducing vibrations and for better handling of the FEIN SUPERCUT during longer jobs. Can also be used in conjunction with the extraction device



Order number

3 21 19 116 01 1

Accessories for AFSC 18

Battery pack Li-ion 18 V, 2.4 Ah battery pack with charge monitoring display. 1 item





Charger ALG 30

Quick charger for FEIN NC and Li-ion batteries.



Order number 9 26 04 096 01 0



FEIN. Unverwüstliche Elektrowerkzeuge.





Make the most of the 3-year FEIN PLUS warranty

We offer the 3-year FEIN PLUS warranty for all your FEIN power tools. All you need to do is register your new FEIN power tool at **www.fein.com** within 6 weeks of purchase.

If you have any further questions or would like to test the FEIN SUPERCUT CONSTRUCTION, please contact your specialist dealer who will be happy to help:

SYNTECH SURFACE FINISHING SPECIALISTS PO BOX 19341, 12B SAUNDERS PLACE, AVONDALE AUCKLAND, NEW ZEALAND PHONE: +64 9 820 2121 FAX: +64 9 820 0101 EMAIL: sales@syntechnz.com www.syntechnz.com

Germany: C. & E. FEIN GmbH, Hans-Fein-Str. 81, 73529 Schwäbisch Gmünd-Bargau

Great Britain: FEIN Industrial Power Tools UK Ltd., 4 Badby Park, Heartlands Business Park, Daventry, Northants NN11 8YT, Phone 01327 308730

Australia: FEIN Power Tools Pty. Ltd., Unit 7/55 – 61 Pine Road, Yennora N.S.W. 2161; P.O. Box 328, Fairfield N.S.W. 1860, Phone 1300 798 688

India: FEIN Power Tools India Pvt. Ltd., 69 Arcot Road, Kodambakkam, Chennai - 600 024, Phone 044-43 578 680, Fax 044-24837788

Regional Office of Asia Pacific: FEIN Power Tools Asia Limited, A1, 11/F, Block A, Mai Hing Industrial Building, 16-18 Hing Yip Street, Kwun Tong, Kowloon, Hong Kong, Phone +852 2341-1026, Fax +852 2341-2250